


Futura EDGE Electronic Key Cutting Machine

Futura EDGE

One Cutting Station for all Types of Edge-Cut Keys



Controlled by a removable 10" (254)mm) touch-screen tablet, the Futura Edge guides the user step-by-step in all key cutting operations: for example, in selecting the make, model and year for automotive keys, in the choice of the right clamp, how to load the key, etc.

The patented laser reading of the key profile makes the Futura the only electronic machine in the market that allows you to duplicate a flat key without first searching for the relevant cutting card.



- Patented laser reading of the key profile, no need to search for the relevant cutting card.
- Nickel plated, 4-sided clamp with a patented, precise rotation system
- The color-changing LED lights indicates the status of the cutting process: white - ready to proceed, yellow - process of cutting, green - cutting is complete and it is safe to raise the safety shield.
- Wi-Fi link between machine and tablet or the user can tether the tablet directly to the machine.
- Equipped with two USB ports on the back of the machine; one for tablet recharge and one for the tethering connection so the machine and tablet remain connected and operational even when the Wi-Fi connection is lost or unstable. The second USB port can also be used to connect the supplied USB flash drive to import code tables or machine software updates.
- Optional Code Maker software allows user to create custom cutting cards for standard edge cut keys.
- Fast cutting cycles plus tablet and electronics that deliver fast start up and response times between the tablet and the machine.
- Exposed screws are stainless steel for wear resistance and longevity
- Software interfaces with Instacode® and Kreate-A-Kev™





- 2 Ethernet port
- 3 Power pack connector
- 1 ON/Emergency push button 4 USB port for Tablet charge
 - 5 USB port standard

"As with all Futura models, the Futura Edge is engineered and manufactured to the <u>highest quality standards</u> so that you are assured of <u>accurate</u> and <u>precise</u> origination and duplication of edge cut keys."





Edge Cut Keys

Edge Cut Station

- Duplicate by copying from the original key, indirect code or by direct code.
- Securely clamp standard residential/commercial keys on side A, smaller blade keys for padlocks, cabinets, etc. on side B
- Dedicated to Automotive are sides C and D ("tongue and groove system") that allow for proper alignment of two-sided keys; even worn keys can be easily decoded
- Step-by-Step calibration instructions
- Optional 06V clamp allows for secure clamping of Best® style keys regardless of the key-way. The built-in tip stop makes gauging Best® keys simple and easy. Jaw A (same as on the 01V clamp) will be on the opposite side, so this jaw can be used for Best® type keys and standard edge cut keys. Simply install the 06V in place of the 01V on your Futura machine using the inner clamp spring from the 01V.





Tool / Accessory Tray



Removable Tablet w/ stand

Ease of Operation

- Shortcut function for vehicle key cutting code searches eliminates manual entry. Simply input the first letters and the software will prompt the make and model for your selection
- Built-in tool/accessory tray on top of the machine
- Multi-language support

Compact and Lightweight

- Compact, lightweight and portable with ergonomic grip for easy lifting.
- · Mounting bracket included for securing the machine to the counter; perfect for mobile operations
- Safety shield slides within the machine body
- Removable tablet stand can be locked onto the hood of the machine or placed on the counter

Safety Features

- Transparent safety shield contains chips and isolates moving parts
- All operations are disabled automatically when safety shield is retracted
- · Large emergency stop button on side of machine



Technical Data

Motors: 24V d.c., 5,5 Amp, 130W

Power Supply: 90/264V a.c - 50/60Hz

Tool Speed: 1500 RPM

Prismatic Cutter: D747276ZR

Movements: 2 axes (special bushings) driven by step

motors on rectified roller guides

Carriage Runs: Axis X 1.18" (30mm) x Axis Y 1.97" (50mm)

Dimensions: 12.52" (318mm) W

16.26" (413mm) D

20.47" (522mm) H with tablet 13.38" (340mm) H without tablet

Weight: 35.3 lbs. (16 kg)

Warranty: 2 years (machine and tablet)

STANDARD Parts/Accessories

Clamp: 01V D942846ZR

Accessories: Stop 4 Tool, Stop Bars, USB Pen,

> Brush, Mounting Bracket, Stylus Touch Pen, Z3 Calibration Keys, Tools, Hex Wrenches, Spare

Fuses

OPTIONAL Parts/Accessories/Interface

Jaw:

All the brand and product names mentioned in this flyer are registered trademarks and exclusive property of authorized manufacturers. Said trademarks or trade names are nominated only for the purposes of information in order to be rapidly identified.

20180619









dormakaba Group

North America: U.S.A., Canada, Caribbean Islands

Kaba Ilco Corp. 400 Jeffreys Rd. • Rocky Mount, NC 27804 Phone: 1.800.334.1381 • Fax: 252.446.4702 Web: www.ilco.us

Central America: Mexico, Guatemala, Belize, El Savador, Honduras, Nicaragua, Costa Rica, Panama

Corporación Cerrajera Alba S.A. de C.V. Prolongación avenida independencia 14, Bodega 5. Col. Los reyes, Tultitlán, Estado de Mexico. C.P. 54915 • www.albailco.mx • 01.55.5366.7200