

# Engrave It™ Pro XL

Marking Equipment

# Engrave It™ Pro XL

## Extra-Large Professional Engraver

Perfect for lock shops or institutional environments

The Engrave-It™ Pro XL is a user-friendly engraving solution designed to handle a wide range of items in both lock shops and institutional environments. This machine offers maximum capacity for marking keys, lock cylinders (including IC), padlocks, ID plates, laminated plates, tags, and more.

The Engrave-It™ Pro XL is powered by robust engraving software (utilizing a customer-supplied PC), allowing operators to swiftly select from a menu of common tasks or create custom settings. Engraving can be achieved using either a diamond drag or rotary-style cutter.



### Key Holders:


Over 100 different trays that hold up to 40 key blanks (depending on specifications). Contact your Iico distributor for details on developing a custom key holder.

### Specialty Holders:

Wide arrange of specialty holders available for engraving on cylinders, IC Cores, padlocks, pet tags brass plates and more

### Large, durable, and versatile, *Delivers consistent professional results*

- Capable of "fine" engraving for presentation plaques, etc.
- Custom lettering for marking keys, popular lock cylinders, etc.
- New V-Touch multi-functional touch screen
- Red laser pointer for easy job set-up
- Sequential numbering
- Variety of fonts and marking styles
- Various clamping options provided to secure items being engraved
- Vision Pro 10 "Expert" software package



# Engrave It™ Pro XL


## Computer Specs:

A customer supplied PC is required to operate the Engrave It™ Pro XL

Minimum System Requirements - Single Core 2 GHz CPU, 5 GB Hard Drive, 1 GB RAM

Windows 7 or higher (32 bit or 64 bit) Operating System, Recommended System

Requirements - Dual Core 2.0 GHz (or faster), 40 GB Hard Drive, 2 GB RAM



Software	Vision PRO 10 "Expert" Software Package
MAX. Work Area	12x12 inches
Maximum Work Piece Size	17.5 inches (L) X any Width x 3 inches (H)
Z-Axis Clearance	1.25 inch (31.75 mm)
Z-Axis Stroke	1 inch standard (1.75 inch w/riser kit)
Table Resolution	.0002 inches
Spindle Type	11/64 inches, 6mm, or 1/4 inch/Top loading, Collect Spindle Available
Table Type	Removeable Aluminum T-slot
Interface	Ethernet
Warranty	2-Year Limited
Power Requirements	110/220v 2 Amp
Physical Dimensions	21.5 inches (W) x 24 inches (D) x 11 inches (H) -75 lbs.
Shipping Dimensions	25 inches (W) x 30 inches (D) x 19 inches (H) -85 lbs. Ground, 87 lbs Air
Part Number	IBA0388XXXX



dormakaba Group

North America  
U.S.A., Canada, Caribbean Islands

Kaba Ilco Corp.  
400 Jeffreys Rd. Rocky Mount, NC 27804  
Phone: 800.334.1381 Fax: 252.446.4702  
www.ilco.us

IML0199XXXX